

77572

Page 1

N900040100

Setup Start *NS1*

Stop ***NS2***

40

40

Reference:

Date: _____

Run Start *NR1*

Date: _____

Stop *NR2*

[illegible]

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 77572

77572

Page 2

December-13-11 1:53:28 PM

Item ID: D3278-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Support
 Start Date: 13/12/2011 Start Qty: 40.00 ***40*** Cust Item ID:
 Required Date: 05/01/2012 Req'd Qty: 40.00 ***40*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130	QC8- Inspect parts - second check	0.00							
130									
QC	Memo	0.00							
Quality Control									

140	Chemical Conversion Coat per QSI005 4.1	0.00							
140									
HandFinish	Memo	0.00							
Hand Finishing									

150	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
150									
Powdercoat	Memo	0.00							
Powder Coating									

WU9480

10:20
 START TIME: 32001 FINISH TIME: 10:50
 OVEN TEMPERATURE:

40 CF/R 12-1-10
 40x4 m 12/04/11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

77572

Page 3

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 13/12/2011 **Start Qty:** 40.00

40

Cust Item ID:**Required Date: 05/01/2012 Req'd Qty: 40.00**

40

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.00

Quality Control

40 q all 12/6/11
counters identified

Identify as per dwg & Stock Location: STGA

0.00

170

Packaging

Memo

0.00

Packaging

10X Sp B-01-12

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.00

Quality Control

12/1/12 J
MF
12-01-12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

December-13-11 1:53:32 PM

Page 1

Work Order ID: 77572

77572

Parent Item: D3278-1

D3278-1

Parent Item Name: Support

Start Date: 13/12/2011

Required Date: 05/01/2012

Start Qty: 40.00

Required Qty: 40.00

Comments:

IPP: A04.04.19New issueKJ/JLM

IPP B 07.09.06 rev.c dwg EC verified by: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B1.000X02.00 0		Purchased		No		100	f	23.6460	0.2337	9.84			

M6061T6B1 000X02 000

6061-T6 Bar 1.00 x 2.00

Location

Loc Qty

Loc Code

MAT003

23.646

112567

16.6

118106

7.046

M120044 X 9.84

OK 12/01/08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 77572
Description: Support		Part Number: D3278-1
Inspection Dwg: D3278 Rev: C		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.098	+0.005/-0.000	Ø.099	—		Vern HL06	
0.359	+/-0.005	.359	—			
0.609	+/-0.010	.613	—			
0.250	+/-0.010	.250	—			
1.480	+/-0.005	1.480	—			
R0.125	+/-0.010	R.125	—		R-G	
0.119	+0.005/-0.004	.121	—			
2.439	+/-0.010	2.440	—			
1.980	+/-0.010	1.980	—			
R0.13	+/-0.030	R.130	—		R-G	
Ø0.257	+0.005/-0.000	Ø.258	—			
R0.375	+/-0.010	R.375	—		R-G	
0.875	+/-0.010	.875	—			
0.500	+/-0.010	.500	—			
R0.400	+/-0.010	R.400	—		R-G	
R1.00	+/-0.030	R1.00	—		R-G	
1.720	+/-0.010	1.720	—			
R0.125	+/-0.010	R.125	—		R-G	
0.125	+/-0.010	.125	—			

Measured by: <i>OML RD</i>	Audited by: <i>BB/PA</i>	Prototype Approval:	N/A
Date: 12/01/09-10	Date: 12/01/10	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.04.19	New Issue P/O D3278-041	KJ/JLM	
B	05.06.08	0.359 was 0.365; 0.119 was 0.125	KJ/JLM	
C	07.09.26	Dimensions updated per Dwg Rev. C	KJ/EC <i>JA</i>	<i>BE</i>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART

DESIGN <i>GP</i>	DRAWN BY <i>BC</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>B</i>	APPROVED <i>H</i>	DRAWING NO. D3278	REV. C SHEET 1 OF 3
DATE 07.07.24		TITLE SUPPORT ASSEMBLY	SCALE NTS
A	04.03.03	NEW ISSUE	
B	05.03.31	CHANGE DIM/TOL TO ENSURE FIT	
C	07.07.24	CHANGED RIVETS PER PAR #185	

RELEASED
07-08-06

D3278-041 SUPPORT ASSEMBLY



Qty	Part Number	Description
X	D3278-041	SUPPORT ASSEMBLY
2	D2230-1	CLAMP
1	D3278-1	SUPPORT
1	D3278-2	SUPPORT
1	D3278-3	SPACER
2	AN4-13A	BOLT
4	AN960JD416	WASHER
4	MS20426AD3-6	RIVET
2	MS21042L4	NUT

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

77572

DESIGN <i>GP</i>	DRAWN BY <i>BC</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>B</i>	APPROVED <i>H</i>	DRAWING NO. D3278	REV. C SHEET 2 OF 3
DATE 07.07.24		TITLE SUPPORT ASSEMBLY	SCALE 1:1

RELEASED
07.08.08**D3278-1 SUPPORT (SHOWN)****D3278-2 SUPPORT (OPPOSITE)**

- 1) MACHINE PER DWG FILE "D3278-1.SLDPRT"
- 2) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

77572

DESIGN <i>GP</i>	DRAWN BY <i>BC</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>JB</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3278	REV. C SHEET 3 OF 3
DATE 07.07.24		TITLE SUPPORT ASSEMBLY	SCALE 1:1

RELEASED
07.08.08**D3278-3 SPACER**

- 1) MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL
(REF. DART SPEC. M-DELRIN-B0.125x2.000) OR
DELRIN II 150E OR ACETRON GP ACETAL
(REF. DART SPEC. M-DELRIN-S.125)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries